

800-356-5824 • trachte.com • tbs@trachte.com





This gate swings up and is well suited to northern climates with snow. Note the keypad placement for drivers' side access.

The gate lifts as shown. Exit keypad is on the right of the first building. A cyclone fence and gate with barbed wire is used on this site. Many cities will not allow the use of barbed wire.





For more information and details on Trachte self-storage systems, please contact your regional manager at 800-356-5824.

The gate and fence may be painted to match the buildings.

This facility features a cyclone fence and sliding gate for access.





A one-way entrance with a vertical lift gate.

Both entrance and exit gates are recommended for large facilities.







For more information and details on Trachte self-storage systems, please contact your regional manager at 800-356-5824.

The main gate is opened in the morning and the vertical lift arm is used during the day for security.

A swing door can also be used.







The least expensive option is to have a sliding cyclone fence that rolls in front of the building as shown. Security cameras record the cars entering and exiting.



Two keypads are recommended, one for entry and another to exit. Keypad gate control systems can be linked to a computer system and will deactivate a door alarm if alarms are used.





The exit keypad may be installed directly onto the building.


# **24 HOUR VIDEO SURVEILLANCE**



For more information and details on Trachte self-storage systems, please contact your regional manager at 800-356-5824.

Video survellience cameras are recommended to enhance the security of your site.





Cameras are placed on the corners of the buildings on each drive to record traffic in the facility.

A camera should be positioned down each hallway to monitor events.





For more information and details on Trachte self-storage systems, please contact your regional manager at 800-356-5824.

Exterior-mounted radio frequency door alarms can be added to an existing site.

Hard-wired door alarms, such as the Track-It system, attach directly to the doorstop.





The Quickswitch door alarm attaches directly to the guide.

In this project, an expensive fence faces the front of the site, then transitions to a less expensive black cyclone fence on the side.





800.356.5824

A basic aluminum picket fence provides an attractive deterrent.





A brick column every 40' accents the aluminum fencing.

#### **RESOURCES**

Gate Suppliers	
Access Technology	800-325-4283
Digitech	800-523-9504
PTI	800-331-6624

Sun Power Security Gates

800-523-9504
800-289-6782
800-331-6624
800-321-1987
800-456-9955
925-943-6222
610-341-9426

For more information and details on Trachte self-storage systems, please contact your regional manager at 800-356-5824.

209-722-3990